



Bhubaneswar Smart City Limited

5th Floor, ICOMC Tower, Bhoi Nagar, Bhubaneswar- 751022
E-mail Id: bbsr.bscl@gmail.com, CIN: U74990OR2016PLC020016
Telephone-0674- 2548428 FAX: 0674-2540811

No. 1627/BSCL/2026

Date: 24/09/26

CORRIGENDUM

This is to inform all prospective bidders that the replies/clarifications to the Pre-Bid Queries received against the RFP No 1553/BSCL/2026 dated 05.09.2026 are enclosed as **Annexure-I**.

Further, in order to provide adequate time to the prospective bidders for preparation and submission of their bids, the bid submission schedule has been revised as follows:

Sl. No.	Particulars	Revised Date & Time
01	Last Date & Time for Submission of Bid	07.10.2026 at 05.30 PM
02	Date & Time of Opening of Technical Bid	08.10.2026 at 03:30 PM

All other terms and conditions of the RFP/Tender shall remain unchanged and shall continue to be applicable.


General Manager-II
Bhubaneswar Smart City Limited

SL NO	LOCATION NAME
1	INSTITUTE OF HEALTH SC SQ.
2	SOA CAMPUS 4 Rd
3	ANANDABANA SQR.
4	JATANI GATE
5	BHARAT CARRIER TRANSPORT OFFICE BBSR
6	SALIA SAHI ENTRY 1
7	SALIA SAHI ENTRY 2
8	SALIA SAHI ENTRY 3
9	SALIA SAHI ENTRY 4
10	SALIA SAHI ENTRY 5
11	SALIA SAHI ENTRY 6
12	SALIA SAHI ENTRY 7
13	SALIA SAHI ENTRY 8
14	DARUTHENGA Rd ON CHANDAKA NANADANKANAN Rd
15	DARUTHENGA Rd ON CHANDAKA NANADANKANAN Rd 2
16	DUMUDUMA MINI STADIUM
17	JADUPUR SQR
18	SISUPALAGARH SQR
19	DAV SCHOOL Rd. POKHARIPUT
20	KARGIR Rd.
21	NAVEEN NIWAS SQR.
22	DURGA PUJA MANDAP,KAPILESWAR
23	KEUTA SAHI CHHAKA
24	GOURI NAGAR SQR. OLD TOWN
25	PANDAV NAGAR SQR.
26	SAMANTARAY COLONY.
27	STATION Rd. BACK SIDE
28	GGP COLONY Rd.
29	JARIPATANA SQR.
30	SAPTASATI NAGAR
31	JANATA MAIDAN BACK SIDE
32	IDCO CRICKET GROUND
33	CHAKEISIHANI DURGA PUJA MANDAP
34	GRIDCO COLONY ,BHOI NAGAR
35	BAYABABA MATHA Rd SQR.
36	SUBHAM APARTMENT Rd,SAHEED NAGAR
37	MAA SANTOSHI YOUTH CLUB,SAHEED NAGAR
38	DHARANA PLACE ,MG MARG
39	BACK SIDE CONGRESS BHAWAN
40	MARKET ST.,UNIT-1
41	KASTURIBA NARIMAHAL SQR.
42	ADIVASI GROUND Rd.
43	OUAT BACK SIDE
44	SHANI TEMPLE SURYA NAGAR
45	ASSEMBLTY GATE
46	SECRETARIAT GATE

SL NO	LOCATION NAME
47	ODISHA CONVENTION CENTER
48	BACK SIDE OF BHUBANESWAR CLUB
49	RABI BARA,UNIT-6,BHUBANESWAR
50	BANA DURGA TEMPLE Rd.UNIT-6,GANGA NAGAR
51	UNIT-6,BOYS HIGH SCHOOL
52	SAI MANDIR
53	CITY WOMENS COLLEGE
54	IIIT GOTHAPATANA
55	TAMANDO
56	KUMBHARA SAHI SQR
57	HI-TECH PLAZA
58	PADHANSAHI CHOWK
59	MADHUSUDAN PARK
60	NEW FOREST PARK
61	CHILLI POKARI
62	BHANJAKALA MANDAP CUT
63	JAGANNATH ASHRAM TANKAPANI Rd.
64	ANANDABANA Rd.NR SUBUDHIPUR LIQUOR SHOP
65	K7 CHHAKA –BIPUL GARDEN Rd.
66	JAYADEV VATIKA Rd.AT GREEN EARTH NURSERY CHHAKA
67	BARAMUNDA BUS STOP, TATA MOTOR SIDE
68	PATRA ELECTRONICS BARAMUNDA
69	RAJADHANI COLLEGE UNDER PASS BOTH SIDE
70	AJIT BAR CUT
71	SISHU BHAWAN JHARANA SAHI SQR
72	NR. UCO BANK MASTER CANTEEN
73	LOWER PMG
74	UNIT-II,PETROL PUMP
75	JAGANNATHA MANDIR SQR(SAILASHREE VIHAR)
76	HOUSING BOARD EXIT AND ENTRY POINT
77	UTKAL HOSPITAL Rd.(NR SIBA TEMPLE)
78	BUDHA VIHAR ENTRY/EXIT
79	LABOUR STANDA NILADRI VIHAR
80	TANISHQ CUT
81	NEAR DLF CYBER CAFÉ
82	KOEL CAMPUS
83	NR.PATIA STATION
84	PATIA STATION Rd.(MARUTI VILLA KALARAHANGA Rd.)
85	PATHARAGADIA Rd NR.KISS GOLEI CHHAK
86	GOHIRIA SQR
87	JANLA CHHAK
88	MADANPUR
89	RAMAMANI PETROL PUMP
90	APICOL ROAD(BARAMUNDA SIDE ROAD)
91	ITER COLLEGE ENTRY
92	COSMOPALLI CHHAK NH
93	HOMEOPATHY COLLEGE ROAD(UNIT-III)
94	RBI QUATER BACK SIDEUNIT-IV
95	FISH MARKKET ROAD UNIT-IV
96	NR.ANANYA HOSPITAL AT LAXMISAGAR CANAL Rd.
97	STATION Rd.NR PLATFORM NO-6
98	EKAMRA CINEMA
99	HALADIPADIA BASTI ENTRY
100	SIET SQR.
101	CHILIKA FRESH DHIRUKUTI BASTI
102	BHAGABAT SANDHAN JUNCTION PALASUNI CANAL Rd.
103	NH TO BALIYATRA PADIA
104	NH JAWA SHOWROOM
105	RASHULGARH PALA MANDAP

47

Annexure-I

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
1	OEM Eligibility Criteria (Page No. 48)	The OEM must have its own in-house, government-registered R&D facility in India, and should not outsource any development, design or research activities, submit the undertaking on OEM Letterhead. Also, R&D registration certificate issued by a government body must be attached as proof. R&D should be ISO 9001, 27001 and 20000 Certified.	This OEM Criteria is applicable for both CCTV & VMS	As per the RFP and Pre-Bid Clarifications
2		OEM Letterhead for all products of CCTV Camera, VMS, Temperature Control Outdoor JB, Recoding Server, Failover Server, HDD, Field Switches, SPD, UPS, Active & Passive Network components		As per the RFP and Pre-Bid Clarifications
3		Service Centre in Odisha (proof of Address may be submitted) or Undertaking for establishment of Service Centre within one month of award of the contract.(CCTV & Active Items)		As per the RFP and Pre-Bid Clarifications
4		Cameras OEM should have valid EPR from Central Pollution Control Board for Electronic Waste. Certificate should be attached		As per the RFP and Pre-Bid Clarifications
5		OEM Eligibility Criteria's 13.Valid Tender/ Bid Specific OEM Authorization with name, Phone No. and email of OEM in original ink signed MAF in OEM Letterhead for all products of CCTV Camera, VMS, Temperature Control Outdoor JB, Recoding Server, Failover Server, HDD, Field Switches, SPD, UPS, Active & Passive Network components		As per the RFP and Pre-Bid Clarifications
6	Alarms Management (Page no. 57)	The system should detect motion and provide alerts accordingly. It should also provide alerts for no motion.	Analytics are required at Camera and VMS both.	As per the RFP and Pre-Bid Clarifications
7	APPENDIX - VII: BILL OF QUANTITY (Page No. 96)	Video Management Software channel Licences	The system shall include 300 camera licenses and 300 failover licenses, making a total of 600 licenses.	As per the RFP and Pre-Bid Clarifications
8		Failover and Management Server	A minimum of two (02) Failover Servers and one (01) Management Server shall be provided.	As per the RFP and Pre-Bid Clarifications
9		16TB Surveillance Enterprises HDD		As per the RFP and Pre-Bid Clarifications
10		VMS OEM should have ISO latest certificates: ISO 9001:2015, ISO-27001, ISO 14001:2015, ISO/IEC 20000-1:2018, ISO/IEC 27001:2022, ISO 45001:2018		As per the RFP and Pre-Bid Clarifications
11		The Proposed VMS should be Minimum ONVIF S, G compliant and should listed on onvif website www.onvif.org	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
12		The Offered Video Management Software (VMS) have Valid Application Audit Certificate from STQC, to Mitigate Cyber Security Attacks.	As per the relevant guidelines, the specified certificates are mandatory and shall be submitted by the bidder.	As per the RFP and Pre-Bid Clarifications

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
13	Video Management Software (Clause VI Page No. 55)	Video View Screens 2. It should include a tree view of video channels, sequences, and external devices. 9. It should support drag-and-drop camera selection for viewing. 10. Double-clicking on a tree control item should allow for viewing the video. 25. Double-clicking should allow for viewing high-resolution video.	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
14		Video Export 1. Quick export mode: The system must support quick export mode, which starts video export for a selected camera and continues until the user ends the playback. Default video export parameters 10. Native format video export: The system should support native format video export along with a player application. Video Export 1. Quick export mode: The system must support quick export mode, which starts video export for a selected camera and continues until the user ends the playback. Default video export parameters 10. Native format video export: The system should support native format video export along with a player application.	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
15		User Interface 10. Reconnect to all cameras' button: The system should have a 'Reconnect to all cameras' button for easy reconnection. User Interface 10. Reconnect to all cameras' button: The system should have a 'Reconnect to all cameras' button for easy reconnection.	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
16		Data Management 5. Video player application: The system should provide a video player application along with the archived data for accessing archived data. Data Management 5. Video player application: The system should provide a video player application along with the archived data for accessing archived data.	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
17		Client Application 5. Windows PC Client: An application will be provided for Windows PC client workstations. Client Application 5. Windows PC Client: An application will be provided for Windows PC client workstations.	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
18		Workstation Client Application 5. Client software can be download from server URL Client Application 5. Client software can be download from server URL	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
19	8MP Bullet Camera	Image Sensor 1/1.8" Progressive Scan, CMOS Sensor or Better Image Sensor 1/1.8" Progressive Scan, CMOS Sensor or Better	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
20		Minimum Illumination Colour - 0.01 Lux @[F1.2 AGC ON) Black & white - 0 Lux or Better Minimum Illumination Colour - 0.01 Lux @[F1.2 AGC ON) Black & white - 0 Lux or Better	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
21		Signal to Noise Ratio (SNR) 70dB or better Signal to Noise Ratio (SNR) 70dB or better	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
22		Video Content Analytics (VCA) Detection: Motion Detection, View Tamper Detection, Trip/No Trip Detection, Object Intrusion/ Zone Intrusion, Loitering, IP Conflict, Network Disconnect, Storage Full, Alarm In Alert: IP conflict, Network disconnect, storage full, time triggered, Manual Trigger. Video Content Analytics (VCA) Detection: Motion Detection, View Tamper Detection, Trip/No Trip Detection, Object Intrusion/ Zone Intrusion, Loitering, IP Conflict, Network Disconnect, Storage Full, Alarm In Alert: IP conflict, Network disconnect, storage full, time triggered, Manual Trigger.		As per the RFP and Pre-Bid Clarifications
23		Regulatory Approvals/ Certifications To be attach FCC, BIS, CE , RoHs, NDAA, STQC- ER Certified as per MEITY guidelines Regulatory Approvals/ Certifications To be attach FCC, BIS, CE , RoHs, NDAA, STQC- ER Certified as per MEITY guidelines	The requirement for NDAA certification is not mandatory.	The revised clause shall be read as: "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, STQC- ER Certificate" To be Read as "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, STQC- ER Certificate"

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
24	05 MP Bullet Camera	Minimum Illumination Colour - 0.01 Lux @(F1.2 AGC ON) Black & white - 0 Lux or Better Minimum Illumination Colour - 0.01 Lux @(F1.2 AGC ON) Black & white - 0 Lux or Better	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
25		Video Content Analytics (VCA) Motion Detection, Tamper Detection, Trip Detection, Object Intrusion, Loitering, IP Conflict, Network Disconnect, Storage Full, Alarm In Video Content Analytics (VCA) Motion Detection, Tamper Detection, Trip Detection, Object Intrusion, Loitering, IP Conflict, Network Disconnect, Storage Full, Alarm In	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
26		Regulatory Approvals/ Certifications To be attach FCC, BIS, CE , RoHs, NDAA, STQC Certified as per MEITY guidelines, Corrosion-Resistant Regulatory Approvals/ Certifications To be attach FCC, BIS, CE , RoHs, NDAA, STQC Certified as per MEITY guidelines, Corrosion-Resistant	The Requirement of NDAA Certiciation is not Mandatory	To be Read as "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, STQC- ER Certificate" To be Read as "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, STQC- ER Certificate"
27		Stream Profiles - 4 Stream Support with min 3 Stream @ 30FPS Stream Profiles - 4 Stream Support with min 3 Stream @ 30FPS	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
28		Video Analytics Motion Detection, View Tamper Detection, Trip Detection, Object Intrusion, Loitering, Missing/Object Counting, Abounded Object, Audio Exception, Alarm In. Video Analytics Motion Detection, View Tamper Detection, Trip Detection, Object Intrusion, Loitering, Missing/Object Counting, Abounded Object, Audio Exception, Alarm In.		As per the RFP and Pre-Bid Clarifications
29		Stream Profiles - 4 Stream Support with min 3 Stream @ 30FPS	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
30		Video Analytics - Motion Detection, View Tamper Detection, Trip Detection, Object Intrusion, Loitering, Missing/Object Counting, Abounded Object, Audio Exception, Alarm In.		As per the RFP and Pre-Bid Clarifications

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
31	05 MP PTZ Camera	Certifications - BIS, CE, FCC, ONVIF S, G,T, IP67, IK10, NDAA, STQC Certified as per MEITY guidelines	The Requirement of NDAA Certiciation is not Mandatory	To be Read as "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, ONVIF (S, G,T), IP67, IK 10, STQC- ER Certificate" To be Read as "Regulatory Approvals/Certifications To be attach - FCC, BIS, CE , RoHs, ONVIF (S, G,T), IP67, IK 10, STQC- ER Certificate"
32	Housing : OEM must provide high performance electrica enclosure certificate with Test Report, that provides protection against Water Damage & Deterioration & Oxidation. Housing : OEM must provide high performance electrica enclosure certificate with Test Report, that provides protection against Water Damage & Deterioration & Oxidation.	IP67 Test Report is acceptable for Water Damage, and whether Damp Heat/Humidity, High Temperature, Low Temperature, and other relevant environmental test reports/certificates are acceptable for Deterioration & Oxidation. If not, please specify the required standard/test certificate for Deterioration & Oxidation.	Mandatory. Considering the environmental conditions, bidders/OEM shall provide either a Deterioration and Oxidation Resistance test report from a Government-approved laboratory or a NEMA 4X certification.	To be Read as "Any Gov approve lab test report for Water Damage, and whether Damp Heat, Humidity, High Temperature, Low Temperature, Deterioration & Oxidation / NEMA-4X Certificate."
33	Workstation	i9 13th generations, 32GB Ram, 4GB Graphics, 512GB SSD, widows Professional with keyboard, mouse and all as per solution requirements	The specifications mentioned herein are the minimum requirements, higher or better specifications shall also be accepted.	As per the RFP and Pre-Bid Clarifications
34	1KVA Online UPS	Turnover of the OEM : OEM should be minimum 500Cr per year for the last 3 years.	This requirement of the OEM are Mandatory to ensure the Quality Product and better service during CAMC Periof of 05 Years	As per the RFP and Pre-Bid Clarifications
35		OEM Experience Proof (PO Copy from Govt Dept/PSU/Corporate Companies/ OEM to SI to Govt): OEM must have executed one order of minimum 6000 numbers of Minimum rating of 1KVA On Line UPS system in the last 5 Financial years or 2 PO's of 4000 thousand numbers each of Minimum rating of 1KVA On Line UPS system in the last 5 Financial years in the last 5 financial years or 3 PO's of 3000 thousand number of Minimum rating of 1KVA On Line UPS system in the last 5 Financial years		As per the RFP and Pre-Bid Clarifications
36		Test Report / Certificates:- Factory calibration lab of manufacturer shall be NABL accredited in India.		As per the RFP and Pre-Bid Clarifications

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
37	10KVA Online UPS	OEM Turnover 500Crores for last 3 years, OEM must have executed one order of minimum 6000 numbers of Minimum rating of 1-10KVA On Line UPS system in the last 5 Financial years or 2 PO's of 4000 thousand numbers each of Minimum rating of 1-10KVA On Line UPS system in the last 5 Financial years in the last 5 financial years or 3 PO's of 3000 thousand number of Minimum rating of 1-10KVA On Line UPS system in the last 5 Financial years		As per the RFP and Pre-Bid Clarifications
38	Central Management Device	Centralized management of a minimum of 200 Managed Switches or higher, 10 certain Delta Stream GPON OLT, 100 Gateway in Day 1 without any license, which references GPON OLT and Gateway devices that do not otherwise appear anywhere in the CCTV project scope or BOQ.	These requirements have been specified to ensure the procurement of quality products and are therefore mandatory.	As per the RFP and Pre-Bid Clarifications
39	Core Switch Technical	Distribution Switches 26-Port 10G Stackable L3 Managed Aggregation Switch with 6 25G Slots" (Qty. 6), but its specification (26×10G SFP+ with 6×25G SFP28, 820 Gbps) matches Appendix VI Section VII, which is headed "Core Switch Technical specifications."	This requirement are Mandatory to ensure the Quality Product	To Be Read as " 26-Port 10G Stackable L3 Managed Distribution Switch "
40	Distribution Switch	BOQ Item 12 is titled "24-Port 25G Stackable L3 Managed Aggregation/Core Switch with 4 100G" (Qty. 4), but its specification (24×25G SFP28 with 4×100G QSFP28, 2000 Gbps) matches Appendix VI Section VIII, which is headed "Distribution Switch Technical specifications."	This requirement are Mandatory to ensure the Quality Product	To Be Read as " 24-Port 25G Stackable L3 Managed Core Switch "
41	GPON OLT / Product Family	The OEM/SI has requested that the GPON requirement be made generic and technology-neutral and that reference to any specific GPON OLT product family should not restrict participation.	The requirement is not intended to specify any particular GPON OLT make, model or product family. BSCL intends that the Centralized Network Management device should give unified management capability of the applicable Active Network elements (Ethernet Switches /GPON OLTs/ONU/CCTV etc) through a central management device. Accordingly equivalent solutions meeting the specified functional, interoperability, performance, scalability, security and reliability requirements may be considered	Clause Deleted
42	Generic / Performance-Based Specifications	The OEM/SI has requested that equivalent or higher-performing solutions from qualified OEMs be permitted.	BSCL's objective is to ensure that the Active Network meets the required functional, technical, performance, interoperability, security, reliability and scalability objectives of the project. Accordingly, technically equivalent or higher-performing solutions shall be considered, provided that the proposed solution meets or exceeds the relevant requirements specified in the RFP and is suitable for the intended project environment.	As per the RFP and Pre-Bid Clarifications

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
43	3. Gartner Magic Quadrant Eligibility	The OEM shall have been recognized in the Gartner Magic Quadrant for Enterprise Wired and Wireless LAN Infrastructure published up to the year 2025.	Gartner Magic Quadrant certification/recognition is not a mandatory requirement.	As per the RFP and Pre-Bid Clarifications
44	TEC / MTCTE and Other Certifications	The Device should have TEC/CE/ FCC / RoHS/ MTCTE, ISO 9001, ISO 14001 , IEC/EN 60950, IEC 62368 or EN55032 Class A or any other relevant Industry Standard Certification.	No changes Mandating any additional certification may unnecessarily restrict competition by limiting the participation of otherwise technically qualified national and international OEMs. Therefore, relevant Indian or internationally recognized certifications applicable to the proposed product shall be considered acceptable, provided that all requirements of the RFP are duly met.	As per the RFP and Pre-Bid Clarifications
45	Wider OEM / Product Participation	The OEM/SI has requested that technically capable OEMs and equivalent products be permitted to encourage wider participation and competition.	Objective is to ensure adequate participation from technically competent OEMs while maintaining the required standards of performance, reliability, security, interoperability, and future scalability. Accordingly, technically compliant solutions with equivalent or superior performance shall also be considered, subject to compliance with the RFP, applicable statutory requirements, and other tender conditions.	As per the RFP and Pre-Bid Clarifications
46	Operation and Maintenance Period Section 1.1.2 (Page no. 5) Project Deliverable Timeline Section 7.3 (page No. 25)	Operation and Maintenance phase (O&M) - After Final Acceptance Testing & Go- Live of entire solutions T1 + 24 Months	The O&M/CAMC phase shall be for a period of 60 months from the date of Go-Live, which includes a Defect Liability Period (DLP) of 12 months.	The Overall O&M Phase or CAMC will be 60 Months from Go-Live.
47	Selection Process of the Bidder Section 1.3.2 (Page No. 7) Section 3.4 (Page No. 22)	The qualification assessment of the Bidder (the "Successful Bidder") shall be through a Quality and Cost Based Selection (QCBS) process as defined in the RFP. Following completion of evaluation of Technical, the bidder quoting the lowest evaluated cost (L1) in the Financial Proposal shall be declared as the Successful Bidder	The bidder shall be selected based on the Least Cost Based Selection (LCBS) methodology in accordance with the provisions of the RFP.	As per the RFP and Pre-Bid Clarifications
48	Pre-Qualification Evaluation Section 2.2.1 (Page 11)	Bidder must have experience in working for any Smart City / Safe City /Police Dept/ State/Central Govt./PSU for SITC and O&M of ITMS/CCTV with Fiber Networking in the past 3 years financial years.		As per the RFP and Pre-Bid Clarifications
49		Bidder should have work experience of executing similar nature of work (CCTC System) with at-least minimum order value of 4.0 Cr each during last 3 F.Y.		Bidder should have work experience of executing similar nature of work (CCTV/ITMS System) with at-least minimum order value of 4.0 Cr each during last 3 F.Y.
50		Joint Venture (JV)/Consortium is not allowed. Eligible bidder forms are Proprietorship, Partnership, LLP or Pvt. Ltd. Company.	Any type of Joint Venture (JV) or Consortium are not allowed	As per the RFP and Pre-Bid Clarifications

Clarifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
51	Technical Evaluation Process Section 2.2.2. (Page No 11)	QCBS	Technical evaluation of the bidders shall be carried out in accordance with the Pre-Qualification Criteria and the LCBS methodology prescribed in the RFP. Only those bidders securing a minimum of 75% marks in the technical evaluation shall be considered for financial evaluation.	As per the RFP and Pre-Bid Clarifications
52	Buyer Obligation	1. Buyer should provide the details regarding the equipment/assets/network / cabling/ mountings etc to be covered under the AMC contract and specific local environmental/ demographical/ socio economic conditions requiring any specific precaution to be able to provide satisfactory AMC service. Details regarding (description, make, model, location (Indoor/Outdoor) and quantity etc) of various assets, to be covered under the AMC, such as Bullet Cameres/ PTZ Camera/fixed camera, NVR, Hard disk, DVR, DISPLAY TV, Network switch with /without PoE, UPS, Battery, monitor, PCs etc,) shall be uploaded at the time of bidding for information to the prospective service provider.	All items specified in the Bill of Quantities (BOQ) shall be comprehensively covered under the CAMC during the contract period.	All items specified in the Bill of Quantities (BOQ) shall be comprehensively covered under the CAMC during the contract period.
53	Service Level Agreement and Packages (Page 42)	COMPREHENSIVE ANNUAL MAINTENANCE SERVICE CAMC OF CCTV SYSTEM AT AIR CARGO COMPLEX, BAGDOGRA AIRPORT FOR 03 YEARS.	Shall be Read as "Comprehensive Annual Maintenance Contract (CAMC) of IP Based CCTV System for Bhubaneswar City for 5 Years including 12 months DLP"	Revised Clause Shall be read as: "Comprehensive Annual Maintenance Contract (CAMC) of IP Based CCTV System for Bhubaneswar City for 5 Years including 12 months DLP"
54		Penalty Clauses	As the nature of the work is critical, hence the given Penalty Clauses in the Tenders are mandatory	As per the RFP and Pre-Bid Clarifications
55	Implementation Timeline	Please confirm whether the 120-day implementation timeline is fixed from the date of signing of the Contract Agreement and whether delays attributable to site readiness, permissions, utility shifting, traffic/police permissions or BSCL dependencies will qualify for extension.	The implementation timeline of 120 days shall commence from the date of signing of the Contract Agreement. Any extension of time due to delays not attributable to bidder or factors beyond the control of the bidder shall be considered on merit and subject to approval by the Competent Authority. However Bidder shall intimate in writing the same to the authority in	As per the RFP and Pre-Bid Clarifications
56	Existing OFC	The RFP states that the required core of existing OFC will be made available by the Department.	The details will shared with Selected Bidder	As per the RFP and Pre-Bid Clarifications
57	Payment Structure	Please clarify whether O&M charges are included in the overall project cost or are to be quoted separately in the financial BOQ.	The Financial Bid shall contain overall cost of the project including CAMC Charges	As per the RFP and Pre-Bid Clarifications
58	Addition to Pre Bid Queries	For Core Switch & Distribution Switch	The Network Management Software and the proposed network switches shall be from the same OEM and shall include all necessary licenses without any additional cost to BSCL, ensuring seamless integration and centralized network management.	

Clarrifications to the Pre-Bid Queries (Technical Specifications)

RFP FOR DESIGN, SUPPLY, INSTALLATION, CONFIGURATION, TESTING, AND COMMISSIONING OF AN IP-BASED CLOSED-CIRCUIT TELEVISION CAMERA (CCTV) FOR BHUBANESWAR CITY				
SL	NIT REFERENCE	EXISTING CLAUSE	CLARRIFICATION	REMARKS
59	Addition to Pre Bid Queries	Technical Compliance	No deviations, conditions, or assumptions to the tender specifications will be accepted. Any bid containing deviations will be summarily rejected. However, Bidders may offer equipment/materials with higher or better specifications, provided they meet or exceed the minimum requirements specified in the RFP.	Bidders must comply fully with all technical, commercial, and contractual terms. However, Bidders may offer equipment/materials with higher or better specifications, provided they meet or exceed the minimum requirements specified in the RFP.
60	Addition to Pre Bid Queries	The pole shall be of minimum 5.5 meters height and shall comply with the relevant Government standards and guidelines. The pole structure shall be capable of withstanding wind speeds of not less than 190 km/h.		
61	Addition to Pre Bid Queries	The specifications stipulated in the RFP are the minimum required specifications. Bidders may offer equipment/materials with higher or better specifications, provided they meet or exceed the minimum requirements specified in the RFP.		
62	Addition to Pre Bid Queries	The CCTV surveillance system shall support continuous recording and retention of footage for at least 20 days at full resolution (as specified in RFP) of all specified cameras.		
63	Addition to Pre Bid Queries	Location Details	The list of locations is annexed for reference. However, the locations may be revised or modified during the implementation phase based on site requirements and operational considerations.	
64	Addition to Pre Bid Queries	The OEM shall provide Manufacturer's Authorization Forms (MAFs) to more than one bidder participating in the tender.		

