

Daily Alcohol Test Report							Date	22-Nov-24	Inspection Done at
Sl No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
1	MANAS SAHOO	2362	R-18	2406	5.21	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
2	SRIKANTA ROUT	2024	R-18	2897AC	5.27	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
3	PRAMOD DIGAL	2413	R-19	5429	5.37	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
4	AKHAYA SETHY	2305	R-19	3504AC	6.00	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
5	KUNJA BIHARI PRADHAN	2014	R-16	4561	6.09	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
6	SARAT BISWAL	2464	R-10	2411	6.18	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
7	SANJAY BEHERA	2514	R-17	9323	6.37	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
8	GOBINDA MUNDA	2379	R-16	4566AC	6.25	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
9	SACHITANANDA SAMAL	2454	R-17	4568AC	7.17	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
10	MINAKETAN PANDA	2214	R-16	2410	7.32	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
11	SURYAKANTA RAY	2004	R-10	3512	7.52	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
12	DILLIP MOHARANA	2150	R-10/02	2900AC	12.02	0mg/100ml	GANGADHAR	PATIA DEPOT	en-route
13	GAJENDRA PATRA	2485	R-19/06	4563AC	12.04	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
14	BULU SAMAL	2357	R-19/07	9313	12.07	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
15	KANHU CH DAS	2038	R-19/08	4571AC	12.11	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
16	ANIRUDHA NAYAK	2411	R-16/07	2417	12.15	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
17	SATYA PRAKASH SWAIN	2062	R-19/10	4564AC	12.24	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
18	AKHILA PRADHAN	2074	R-18	9318	12.29	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
19	PABITRA BEHERA	2515	R-18	3511AC	12.34	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
20	ABHIMANYU DAS	2493	R-19/09	5443	12.35	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
21	SANTOSH SAHOO	11869	84/01	7332	12.37	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
22	MILAN KHUNTIA	2039	R-16/10	3502AC	12.44	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
23	SUDHIR PARIDA	2279	R-16/06	4565AC	12.47	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
24	SANGRAM BAHINPATI	11544	58/01	9415	12.48	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
25	MOHATAB NAYAK	2450	R-18	2402	12.49	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
26	CHAKRADHAR SWAIN	11585	41/02	7336	12.49	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
27	CHANDRA SOREN	2008	R-18	2409	12.53	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
28	KULAMANI PALLI	2448	R-18	5433	12.54	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
29	MANAS SAHOO	2362	R-18	2406	13.02	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
30	SAROJ BEHERA	11427	80/06	7103	13.04	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
31	CHAKRADHAR MUDULI	11829	80/04	6525	13.06	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
32	LALATANDU BEHERA	2504	R-16/11	9305	13.11	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT

Daily Alcohol Test Report							Date	22-Nov-24	Inspection Done at
Sl No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
33	NILAMANI SWAIN	11466	82/03	6540	13.16	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
34	CHANDRASEKHAR SAHOO	2392	R-17/05	9309	13.17	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
35	NIRANJAN MALLIK	2412	R-18	2413	13.18	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
36	NAROTTAM ROUT	2380	R-18	2401	13.21	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
37	NILAKANTHA BEHERA	2338	R-18	9326	13.28	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
38	BINOD SAHOO	2058	R-10/05	4575AC	13.33	0mg/100ml	GANGADHAR	PATIA DEPOT	en-route
39	RATIKANTA SWAIN	11864	80/01	7120	13.33	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
40	SACHIN NAYAK	2501	R-18	2416	13.39	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
41	BASANTA KUMAR SETHI	11721	83/03	7352	13.45	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
42	PRAKASH CHANDRA PUSTI	11832	54/01	9405	13.46	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
43	KARTIK PRADHAN	2044	R-16/12	2901AC	13.51	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
44	BIJAY SWAIN	11984	47/01	7329	13.51	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
45	KAPILA SETHI	11921	81/01	7108	13.53	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
46	BIDYA DHARA NAYAK	11811	80/05	6526	13.55	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
47	SURYAKANTA RAY	2004	R-10/03	3512	12.54	0mg/100ml	GANGADHAR	PATIA DEPOT	en-route
48	BISHNU PRADHAN	2520	R-10/04	2404	13.57	0mg/100ml	GANGADHAR	PATIA DEPOT	en-route
49	LIPUNA DAS	11982	82/04	6544	13.58	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
50	SRIKANT ROUT	2024	R-18	2897AC	13.59	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
51	BHAGIRATHI SAHOO	2469	R-18	3508AC	13.59	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
52	HEMANTA BEHERA	2237	R-16/08	2894AC	14.01	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
53	SUKANTAKANTA BEHERA	11990	83/02	7357	14.05	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
54	BALARAM PANDA	11718	80/02	6521	14.07	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
55	KUNJA BIHARI PRADHAN	2014	R-16/01	4561	14.12	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
56	NARAYAN MALLICK	11810	83/01	7111	14.13	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
57	NARENDRA SAHOO	2162	R-16/09	9314	14.19	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
58	RAJKISHOR NAYAK	2390	R-19/11	9308	14.26	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
59	FIROJ KHAN	2389	R-18	4577AC	14.33	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
60	SANTOSH KUMAR SAHOO	11775	41/01	7370	14.33	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
61	BHASKAR MALLICK	2154	R-17/06	9316	14.35	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
62	JANAKI BALLABH MALLICK	11669	81/02	7109	14.35	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
63	RAJAT MAHAL	2247	R-18	3509AC	14.36	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
64	PROMAD DIGAL	2413	R-19/01	5429	14.38	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot

Daily Alcohol Test Report							Date	22-Nov-24	Inspection Done at
Sl No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
65	AMARESH BEHERA	11965	82/05	8103	14.38	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
66	AJAY MOHANTY	2325	R-18	9325	14.39	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
67	SANJAY BEHERA	2281	R-17/01	2414	14.41	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
68	SUNIL HARICHANDAN	2502	R-17/03	4562	14.42	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
69	KANHU CHARAN BAIRIGANJAN	11998	81/07	7343	14.52	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
70	GOBINDA MANDA	2389	R-16/02	4566AC	14.54	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
71	SK SAHIL	11972	85/01	7361	14.58	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
72	JITENDRA NAYAK	11234	80/03	6524	15.01	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
73	SAROJ SINGH	2246	R-19/12	2893AC	15.02	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
74	BALARAM PARIDA	2394	R-19/13	5436	15.02	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
75	ROHIT GEDI	2174	R-18	2407	15.03	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
76	NABAGHAN SAHOO	2356	R-18	5434AC	15.04	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
77	BIJAYA SAHOO	2012	R-18	4572AC	15.06	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
78	SAPAN KU SWAIN	2523	R-19/14	5438AC	15.08	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
79	BASANTA JENA	2350	R-19/05	5439	15.08	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
80	MANGULI ROUSTRAY	2396	R-18	9330AC	15.11	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
81	SACHITANANDA SAMAL	2454	R-17/02	4568AC	15.12	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
82	GOKUL KANHAR	2104	R-17/04	5441AC	15.12	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
83	BIPIN SAHOO	2461	R-18	5437AC	15.12	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
84	PRATAP NAYAK	2486	R-18	9331AC	15.13	0mg/100ml	MANOJ	PATIA DEPOT	Patia Depot
85	SARAT BISWAL	2464	R-10/01	2411	15.15	0mg/100ml	GANGADHAR	PATIA DEPOT	en-route
86	SANTOSH NAYAK	11999	82/01	6535	15.18	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
87	RANJIT KUMAR MALLIK	11412	81/03	7101	15.22	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
88	TRILOCHAN BEHERA	2510	R-16/03	2415	15.34	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
89	BHIMSEN PATRA	11986	54/03	9407	15.37	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
90	NIRANJAN MALLIK	2412	R-18	4567AC	15.42	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
91	BICHHAD HANSA	11389	54/02	9406	15.43	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
92	AKHAYA SETHY	2305	R-19/02	2894AC	15.45	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
93	GAGAN BEHERA	11899	85/02	7367	15.45	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
94	K.NARAYAN RAO	2435	R-59/01	2896AC	15.51	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
95	SWARAJ SWAIN	2499	R-16/04	4576AC	15.54	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
96	SANTOSH SWAIN	11993	82/02	6537	16.06	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route

Daily Alcohol Test Report							Date	22-Nov-24	Inspection Done at
Sl No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
97	SUNYABASI SAMAL	11862	81/04	7328	16.18	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
98	MINAKATAN PANDA	2214	R-16/05	2410	16.22	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
99	SARAT SAHOO	2234	R-19/03	9324	16.25	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
100	SURAJ KUMAR JENA	11963	85/03	7369	16.25	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
101	SANJAYA MOHAPATRA	11302	48/01	6533	16.42	0mg/100ml	NIKHILESH	PATRAPAD A DEPOT	CNBT
102	PRADEEP BEHERA	2091	R-18	3513AC	16.44	0mg/100ml	NIKHILESH	PATIA DEPOT	CNBT
103	SOUMYA MISHRA	2399	R-19/04	4574AC	16.45	0mg/100ml	ROSHAN	PATIA DEPOT	en-route
104	ASWINI KUMAR	11316	81/05	7337	16.48	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
105	SAMARENDRA PRATAP	11976	81/06	7340	17.12	0mg/100ml	ANANDA	PATRAPAD A DEPOT	en-route
106	MANAS SAHOO	2362	R-18	2406	21.37	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
107	SRIKANTA ROUT	2024	R-18	2897AC	21.57	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
108	PRAMOD DIGAL	2413	R-19	5429	18.57	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
109	DEEPAK DAS	2429	R-19	5431AC	22.00	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
110	KUNJA BIHARI PRADHAN	2014	R-16	4561	19.32	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
111	BIRENDRA BEHERA	2020	R-10	2411	23.58	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
112	SANTOSH BISWAL	2514	R-17	2414	21.47	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
113	GOBINDA MUNDA	2379	R-16	4566AC	21.53	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
114	SACHITANANDA SAMAL	2454	R-17	4568AC	15.51	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
115	MINAKETAN PANDA	2214	R-16	2410	17.51	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
116	SURYAKANTA RAY	2004	R-10	3512	18.13	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL