

Daily Alcohol Test Report							Date	01-Jan-25	Inspection Done at
SI No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
1	BIRENDRA BEHERA	2020	R-10	2414	6.09	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
2	SURYAKANTA RAY	2004	R-10	9325	7.09	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
3	PROMAD DIGAL	2413	R-16	4561	5.23	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
4	MINAKETAN PANDA	2214	R-16	2897AC	5.47	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
5	SANJAY BEHERA	2281	R-17	5429	6.45	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
6	NILAMANI TRIPATHY	2451	R-17	4576AC	7.11	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
7	SANTOSH BISWAL	2514	R-18	9306	5.27	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
8	SRIKANT ROUT	2024	R-18	5434AC	5.3	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
9	GOBINDA MUNDA	2379	R-19	9312	5.38	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
10	AKAYA SETHY	2305	R-19	3504AC	5.51	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
11	DEEPAK DAS	2227	R-19/06	4563AC	12.01	0mg/100ml	Roshan	PATIA DEPOT	en-route
12	GAJENDRA PATRA	2485	R-10/02	3502AC	12.04	0mg/100ml	Gangadhar	PATIA DEPOT	en-route
13	SUNYABASI SAMAL	11862	81/04	7328	12.05	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
14	SAROJ BEHERA	11427	82/02	6537	12.06	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
15	ABHIMANYU DAS	2493	R-19/07	9313	12.08	0mg/100ml	Roshan	PATIA DEPOT	en-route
16	ASWINI KUMAR	11316	81/05	7337	12.08	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
17	KANHU CH DAS	2038	R-19/08	4571AC	12.16	0mg/100ml	Roshan	PATIA DEPOT	en-route
18	SATYA PRAKASH SWAIN	2062	R-19/10	4564AC	12.19	0mg/100ml	Roshan	PATIA DEPOT	en-route
19	ASIT KUMAR BHUYAN	11443	81/06	7340	12.22	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
20	MD SAYAD	2168	R-18	3511AC	12.29	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
21	CHANDRA SEKHARA SAHOO	2392	R-17/05	9309	12.39	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
22	BASANT JENA	2350	R-19/09	5439	12.39	0mg/100ml	Roshan	PATIA DEPOT	en-route
23	SK. SAMSUD	11295	84/01	7359	12.39	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
24	TAPAN SWAIN	2479	R-16/10	4565AC	12.41	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
25	SINGRAI SOREN	2518	R-18	2402	12.41	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
26	BIRENDRA KUMAR ROUT	11793	41/02	7336	12.43	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
27	BISHNU PRADHAN	2520	R-10/04	2404	12.48	0mg/100ml	Gangadhar	PATIA DEPOT	en-route
28	RAJKISHOR MAHARANA	11861	R-16/11	7350	12.52	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
29	RATIKANTA SWAIN	11864	80/01	7120	12.54	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
30	CHABINDRA RANA	2511	R-18	9327	12.56	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
31	SAHADEB BEHERA	11301	82/03	6540	13.07	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route

Daily Alcohol Test Report							Date	01-Jan-25	Inspection Done at
SI No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
32	NARAYAN BARIK	2086	R-18	2413	13.09	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
33	PINTU BIHARI	11916	R-10/05	7121	13.14	0mg/100ml	Gangadhar	PATRAPADA DEPOT	en-route
34	PRADIP PRADHAN	11410	47/01	7329	13.14	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
35	MRUTYUNJAYA MOHAPATRA	11834	81/07	7343	13.14	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
36	JANARDAN NAYAK	11567	R-10/07	7112	13.16	0mg/100ml	Gangadhar	PATRAPADA DEPOT	en-route
37	GOKULA KUWAR	2104	R-17/03	4562	13.16	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
38	NABAGHAN SAHOO	2356	R-18	4577AC	13.22	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
39	RIYAJAT KHAN	11927	82/04	6544	13.32	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
40	BAIKUNTHA BIHARI TRIPATHY	11756	80/02	6521	13.33	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
41	KRUSHNA PATRA	2384	R-18	9326	13.35	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
42	LALATENDU BEHERA	2504	R-16/06	2895AC	13.38	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
43	KAPILA SETHI	11921	81/01	7108	13.39	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
44	TRILOCHAN MALLIK	11844	54/01	9405	13.42	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
45	BASANT SETHI	11721	80/06	7103	13.44	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
46	BINOD SAHOO	2058	R-10/08	4575AC	13.46	0mg/100ml	Gangadhar	PATIA DEPOT	en-route
47	NURSHINGA SETHI	11831	54/02	9406	13.51	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
48	HRUDANANDA BARIK	11995	R-16/13	7368	13.52	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
49	NIRANJAN MALLICK	2412	R-18	4572AC	13.53	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
50	NAKUL SAHOO	2449	R-10/06	5431AC	13.55	0mg/100ml	Gangadhar	PATIA DEPOT	en-route
51	GHOUS ALI KHAN	2125	R-18	3508AC	13.55	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
52	DURYADHAN MAJHI	2253	R-19/11	9308	13.55	0mg/100ml	Roshan	PATIA DEPOT	en-route
53	SRIKANT ROUT	2024	R-18	4566AC	13.56	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
54	CHANDAN PRADHAN	2516	R-17/06	9316	14.03	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
55	NARAYAN MALICK	11810	83/01	7125	14.04	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
56	PRAKASH CH. PRUSHTY	11832	R-16/07	7358	14.13	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
57	SRIDHAR NAYAK	11580	82/05	8103	14.13	0mg/100ml	Ananda	PATRAPADA DEPOT	CNBT
58	JAYSEN BEHERA	2286	R-16/14	2900AC	14.17	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
59	BALARAM PANDA	11718	80/03	6524	14.18	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
60	CHAKRADHARA MUDULI	11829	80/07	7105	14.22	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
61	BIPIN SAHOO	2461	R-18	5437AC	14.26	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
62	PRAVAT MALLICK	2364	R-18	4568AC	14.27	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT

Daily Alcohol Test Report							Date	01-Jan-25	Inspection Done at
SI No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
63	NARENDRA SAHOO	2162	R-16/04	9314	14.31	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
64	SUDHIR PARIDA	2279	R-16/08	2417	14.33	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
65	PRUTHIVI RAJ NAYAK	2346	R-17/04	2894AC	14.34	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
66	SANTOSH KUMAR SAHOO	11775	41/01	7370	14.34	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
67	SURESH SETHI	11956	81/02	7109	14.34	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
68	AJAYA MOHANTY	2423	R-18	2406	14.37	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
69	K.NARAYAN RAO	2435	R-59/01	2896AC	14.38	0mg/100ml	Roshan	PATIA DEPOT	en-route
70	MANAS KUMAR PRADHAN	11635	R-16/09	7349	14.41	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
71	PRAMOD DIGAL	2413	R-16/01	4561	14.43	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
72	RAJAT MAHAL	2247	R-18	3509AC	14.44	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
73	SWARAJ SWAIN	2499	R-18	5433	14.53	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
74	SUBADHO NAYAK	11428	85/01	7361	14.57	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
75	ROHIT GEDI	2174	R-18	2409	14.58	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
76	SURESH DAS	2327	R-19/12	2893AC	15.01	0mg/100ml	Roshan	PATIA DEPOT	en-route
77	BHIMSEN PATRA	11986	54/03	9407	15.03	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
78	BIDYADHARA NAYAK	11811	80/04	7335	15.11	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
79	MINAKETAN PANDA	2214	R-16/02	2897AC	15.12	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
80	RANJIT KUMAR MALLIK	11412	81/03	7101	15.13	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
81	SANTOSH BISWAL	2514	R-18	9306	15.14	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
82	BANDHU BEHERA	11551	82/01	6535	15.16	0mg/100ml	Ananda	PATRAPADA DEPOT	en-route
83	BALARAM PARIDA	2394	R-19/13	5436	15.17	0mg/100ml	Roshan	PATIA DEPOT	en-route
84	BIRENDRA BEHERA	2020	R-10/01	2414	15.21	0mg/100ml	Gangadhar	PATIA DEPOT	en-route
85	NILAMANI TRIPATY	2451	R-17/02	4576AC	15.21	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
86	RAJKISHOR MOHANTY	2505	R-19/14	5438AC	15.22	0mg/100ml	Roshan	PATIA DEPOT	en-route
87	JITENDRA NAYAK	11234	R-16/03	7102	15.26	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
88	AMARENDRA JENA	2385	R-18	4567AC	15.27	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
89	SANJAYA MOHAPATRA	11302	48/01	6533	15.29	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
90	PURNA CHANDRA NAYAK	11118	R-10/09	6532	15.33	0mg/100ml	Gangadhar	PATRAPADA DEPOT	en-route
91	SUNIL GHADEI	11894	83/03	7354	15.41	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
92	AKHAYA SETHY	2305	R-19/02	4566AC	15.42	0mg/100ml	Roshan	PATIA DEPOT	en-route
93	JABIR ALLUM	11992	85/02	7367	15.43	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT

Daily Alcohol Test Report							Date	01-Jan-25	Inspection Done at
SI No	Driver Name	Driver Id	Route	Bus No	Test Time	Test Result	Tester Name	Depot Name	
94	NABAKISORE MAJHI	11988	80/05	6526	15.54	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
95	SUKANTA DAS	11879	58/01	9415	15.57	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
96	TRILOCHAN BEHERA	2510	R-16/12	2415	16.03	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
97	SURESH MAHANTA	2404	R-18	9318	16.07	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
98	GOBINDA MUNDA	2379	R-19/01	9312	16.08	0mg/100ml	Roshan	PATIA DEPOT	en-route
99	SUNIL KU. PADHY	11124	R-16/05	7363	16.15	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
100	SATYA NARAYAN KAHAR	2348	R-19/03	9324	16.16	0mg/100ml	Roshan	PATIA DEPOT	en-route
101	SOMYA MISHRA	2399	R-19/04	4574AC	16.21	0mg/100ml	Roshan	PATIA DEPOT	en-route
102	SANTOSH KUMAR SAHU	11869	85/03	7369	16.25	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
103	DRUVA CHARAN SWAIN	11126	83/02	7357	16.38	0mg/100ml	Nikhilesh	PATRAPADA DEPOT	CNBT
104	PRADEEP BEHERA	2091	R-18	3513AC	16.47	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
105	PRADEEP DASH	2519	R-19/05	5443	17.14	0mg/100ml	Roshan	PATIA DEPOT	en-route
106	RAJKISHOR NAYAK	2390	R-18	2416	17.51	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
107	AJAY MISHRA	2275	R-18	9331AC	18.22	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
108	ABINASH NAYAK	2457	R-18	9330AC	19.29	0mg/100ml	Nikhilesh	PATIA DEPOT	CNBT
109	BIRENDRA BEHERA	2020	R-10	2414	21.13	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
110	SURYAKANTA RAY	2004	R-10	9325	17.13	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
111	PROMAD DIGAL	2413	R-16	4561	21.32	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
112	MINAKETAN PANDA	2214	R-16	2897AC	16.34	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
113	SANJAY BEHERA	2281	R-17	5429	11.58	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
114	NILAMANI TRIPATHY	2451	R-17	4576AC	21.32	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
115	SANTOSH BISWAL	2514	R-18	9306	21.42	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
116	SRIKANT ROUT	2024	R-18	4566AC	21.50	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
117	GOBINDA MUNDA	2379	R-19	9312	15.43	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL
118	AKAYA SETHY	2305	R-19	3504AC	21.37	0mg/100ml	GANGADHAR	CDA OD TERMINAL	TERMINAL